
FIG.1

120° CRYSTALS






FIG. 2

EFFECT OF SYNTHESIS TEMP. ON MFI-CRYSTALLITE SIZE





FIG.3

MAGNIFICATION: 104,000 **

120°C - CRYSTALS



50°C - CRYSTALS





FIG.4

COMPARATIVE 140 000 * SEM MICROGRAPHS

SILLICATE - 1 PRE AGED AT 50°C




SILLICATE - 1 PRE AGED AT 50°C FOLLOWED BY 100°C CRYSTALLISATION



FIG.5

XRD OF PRODUCT DRIED AFTER SYNTHESIS



MAGNIFICATION 104,000 *





FIG.6
PRODUCT XRD DRIED AFTER SYNTHESIS 2000-1800 1600 1400 1200 1000 AT 75716 800 600 400-200 0 14.000-14.000-15.000-22.0000-28.000-33.0000-42







FIG. 8

MICROGRAPH SHOWING AGGLOMERATES WITH SIZES BETWEEN 0-3 AND 1-5 μm



MAGNIFICATION: 10,000 *

FIG.9





MAGNIFICATION: 10,000 *

MICROGRAPH SHOWING AGGLOMERATES WITH A SIZE BETWEEN 0.2 AND 1.5 µm

1 / 9
FIGURE 1

120°C - Crystals






Copied from 08211873 on 10/26/2009

FIGURE 2

EFFECT OF SYNTHESIS TEMPERATURE ON MFI-CRYSTALLITE SIZE



3 / 9 F I G U R E 3

MAGNIFICATION : 104,000 * 120°C - Crystals



50°C - Crystals





FIGURE 4

COMPARATIVE 140,000 * SEM MICROGRAPHS

Silicalite - 1 pre-aged at 50°C



Silicalite -1 pre-aged at 50°C followed by 100°C crystallisation





FIGURE 5

XRD OF PRODUCT DRIED AFTER SYNTHESIS




SEM MICROGRAPHS, MAGNIFICATION 104,000 *




FIGURE 6

XRD OF PRODUCT DRIED AFTER SYNTHESIS



SEM MICROGRAPH, MAGNIFICATION 104,000*







FIGURE 8

1

SEM Micrograph




Magnification 10,000*

Micrograph shows agglomerates with size between 0.3 and 1.5 μm

FIGURE 9

SEM micrograph



Magnification 10,000*

Micrograph shows agglomerates with a size between $0.2\ \text{and}\ 1.5\mu\text{m}$